

### **FIRST ALERT RADON DETECTORS**

c/o Alpha Energy Labs 2501 Mayes Road Ste 100 Carrollton. TX 75006 www.DrHomeAir.com (800) 324-5928

Report & Sample Dates

DATE RECEIVED:

3/15/2017

REPORT DATE:

3/17/2017

**Laboratory Certification Info** 

NRPP ID#: 101132 AL

STATE ID#: N/A

ELAP ID#: 11430 NY

### **RADON TEST REPORT**

Dallas Community School 788 Sw Birch St Dallas, OR 97338 USA

YOUR RADON TEST RESULTS:

TEST KIT SERIAL#: FC177690

LAB ID#: 1652291

RADON LEVEL: 0.9 pCi/L

CLOSED HOUSE: Yes

START TIME/DATE: 03:30 PM 03/10/2017

STOP TIME/DATE: 08:10 AM 03/13/2017

TEST METHOD: Activated Charcoal EPA-402-R-92-004

SAMPLE TYPE: Short Term

PROJECT NAME:

TEST ADDRESS: 788 Sw Birch St

Dallas, OR 97338 USA

TEST FLOOR: 1st Floor

TEST LOCATION: Small Room

#### RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, the The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Alpha Energy Tests have an estimated accuracy of ±5% when used according to directions.

PLEASE NOTE: Test results are only indicative of the sample collected. If proper testing procedures were not followed, results may not be representative of your radon levels. One sampler can test an area up to 2,000 square feet.

Measurement Specialist / Laboratory Director

Date 3/17/2017

Confidentiality: The information contained in this report is confidential. If you received this report in error, please return it to the address above.

Note: Alpha Energy Laboratories are solely responsible for the analysis of samples returned to us. We do not provide sampling services and are not responsible for erroneous radon concentrations resulting from incorrect sampling procedures.

### IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, epa.gov/radon, or, call your State Radon Contact: (503) 945-5944

#### IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

EPA National Hotline: (800) 557-2366, epa.gov/radon, or, call your State Radon Contact: (503) 945-5944

# WHAT DO MY TEST RESULTS MEAN?

- If your test result is below 2 pCi/L you do not need to take further action at this time. The EPA recommends you retest every 2-3 years.
- If your test result is between 2 pCi/L and 4 pCi/L you should monitor your home. Your home is above the indoor average of 1.3 pCi/L. You can consider retesting now, or you can wait. However, The EPA recommends testing every 2 years to confirm your radon levels are not rising.
- If your radon level is **4 pCi/L or greater** you should take further action. If this is your first test, The EPA recommends you conduct another test to confirm your initial reading. If you have tested multiple times and the average of those tests is above 4 pCi/L, you should fix your home.

# **HOW DANGEROUS IS MY RADON LEVEL?**

#### RADON RISK IF YOU SMOKE

Radon Level	If 1,000 people were exposed to this level over a lifetime	The risk of radon induced lung cancer compares to	What To Do Next?	
100 pCi/L	About 770 people could get lung cancer	110 times the risk of dying in a car crash	ing in a car crash Fix your home	
40 pCi/L	About 380 people could get lung cancer	95 times the risk of dying from poison	Fix your home	
20 pCi/L	About 260 people could get lung cancer	250 times the risk of drowning	Fix your home	
10 pCi/L	About 150 people could get lung cancer	200 times the risk of dying in a fire	Fix your home	
4 pCi/L	About 62 people could get lung cancer	5 times the risk of dying in a car crash	Fix your home	
2 pCi/L	About 32 people could get lung cancer	6 times the risk of dying from poison	Consider fixing between 2 & 4 pCi/L	
1.3 pCi/L	About 20 people could get lung cancer	(Average indoor radon level)	(Reducing below 1 pCi/L is difficult)	
0.4 pCi/L	About 3 people could get lung cancer	(Average outdoor radon level)	(Reducing below 1 pCi/L is difficult)	

Estimates are lifetime risk of lung cancer deaths from EPA Assessment of Risks from Radon in Homes (EPA 402-R-03-003)

### RADON RISK IF YOU HAVE NEVER SMOKED

Radon Level	If 1,000 people were exposed to this level over a lifetime	The risk of radon induced lung cancer compares to	What To Do Next? Fix your home	
100 pCi/L	About 440 people could get lung cancer	63 times the risk of dying in a car crash		
40 pCi/L	About 120 people could get lung cancer	30 times the risk of dying from poison	Fix your home	
20 pCi/L	About 36 people could get lung cancer	35 times the risk of drowning	Fix your home	
10 pCi/L	About 18 people could get lung cancer	20 times the risk of dying in a fire	Fix your home	
4 pCi/L	About 7 people could get lung cancer	The risk of dying in a car crash	Fix your home	
2 pCi/L	About 4 people could get lung cancer	The risk of dying from poison	Consider fixing between 2 & 4 pCi/L	
1.3 pCi/L	About 2 people could get lung cancer	(Average indoor radon level)	(Reducing below 1 pCi/L is difficult)	
0.4 pCi/L		(Average outdoor radon level)	(Reducing below 1 pCi/L is difficult)	

Note: If you are a former smoker your risk may be lower

Estimates are lifetime risk of lung cancer deaths from EPA Assessment of Risks from Radon in Homes (EPA 402-R-03-003)

# WHAT DO I DO NEXT?

Type of Test	# of Times Tested	Test Result	What do I do next?	What test do I use? (If retesting)
Short Term	1	<2 pCi/L	Retest every 2-3 years	Short Term
(2-4 days)	1	2-4 pCi/L	Consider Retesting Now	Long Term or Short Term
	1	4-8 pCi/L	Retest Now	Long Term or Short Term
	1	>8 pCi/L	Retest Now	Short Term
Short Term	2 or More	<2 pCi/L	Test every 2-3 years	Short Term
(2-4 days)		2-4 pCi/L	Consider Fixing the Home	
		>4 pCi/L	Fix the Home	
Long Term	1 or More	<2 pCi/L	Test every 2-3 years	Short Term
(90-365 days)		2-4 pCi/L	Consider Fixing the Home	
		>4 pCi/L	Fix the Home	

## **HOW CAN I FIX A RADON PROBLEM?**

If your radon level is at or above 4 pCi/L, you should fix your home. If your radon level is between 2 pCi/L and 4 pCi/L, you may wish to fix your home. For most homes, radon levels can be lowered to 2 pCi/L or lower.

We recommend only hiring contractors who are certified and trained in radon mitigaton. To find a certified contractor you can:

Call your State Radon Contact at **(503) 945-5944** or go to **DrHomeAir.com/States**Go to **DrHomeAir.com/Mitigation** for a list of NRPP certified contractors

Thank you for using our product. If you have future radon or mold testing needs, below is a coupon to purchase at discounted prices. You can fill out the coupon and return it to us, or order online using the coupon code: RADONREPORT

#### coupon code: RADONREPORT -ABORATORIES Phone: (800) 324-5928 Fax: (972) 242-8860 **ALPHA ENERGY** Subtotal \$ 3.50 Exp. Date Total: **Shipping:** Special Price Order Total: \$26.96 \$25.16 \$25.16 \$10.76 \$8.96 Enter coupon code at checkout: State Disc RADONREPORT Oty. Please Write Legibly AmEx Method of Payment: Scan to your phone: Drhomeair.com/buy Carrollton, TX 75006 Radon in Water Kit **Mold Detection Kit** Order Online or Credit Card Number (91 - 365 Days) Short Term Kit Long Term Kit MC Description (2 - 4 Days) Real Estate (2 - 4 Days) **Twin Pack** Signature Visa Address Name Phone